




INDIA'S LEADING
FITNESS EQUIPMENT BRAND

**CHOOSE INDIA'S
MOST RELIABLE FITNESS PARTNER**

- » 8+ YEARS OF EXPERIENCE
- » NATIONWIDE PRESENCE
- » 24X7 SUPPORT FOR YOUR SUCCESS

2nd Floor Kuber Tower, Ajronda Sec-20b Faridabad 121001
Mob : +91-9205179977, +91-9717780763 Email : info@kfsfitness.com
www.kfsfitness.com

facebook.com/kfsfitness instagram-kfs_fitness YouTube.com/kfsfitness

PRODUCT CATALOGUE

KFS FITNESS

**KFS FITNESS offers heavy-duty
Gym Equipment for commercial use.
Our machines are beautifully designed
while offering excellent quality
Each design goes thru an endurance test
for safety and to ensure long service
life before being introduced to
the market and each equipment are
tested before packing.**

KFS FITNESS

INTRODUCTION	04
--------------	----

CARDIO

TREADMILLS	09
CROSS TRAINER	15
SPIN BIKES	16
AIR BIKE	16
UPRIGHT BIKES	18
R BIKE	18
JACOBS	19
LADDERMILL	19

STRENGTH SERIES

MG SERIES	20
M5 SERIES	28
M5S DUAL SERIES	32
T6 SERIES	34
T9 SERIES	42
T8 SERIES	50
M8f SERIES	58
V SERIES	66

FREE WEIGHTS

PLATE LOADED	78
FREE WEIGHT	80

CROSSFIT CAGES

CROSSFIT	92
----------	----

ACCESSORIES	94
-------------	----

INSTALLATION	96
--------------	----

COMPANY EVENTS	102
----------------	-----

ABOUT KFS

Our Vision: -Make world a fitter place with wide speed fitness services

Our Mission:-

Fitness made affordable with " OUR "high research & technically super effective fitness equipment.

Values:

1. RESPONSIBILITY

2. INTERGRITY

3. AFFORDABILITY

4. AGILITY

We look forward to help you achieve your health and fitness goals. Whether you are an elite athlete striving for the ultimate in performance or just getting started with an exercise program, KFS FITNESS has the fitness solutions you are looking for.

Experience - We have been in the fitness industry for over 10 years, and have served the needs of individuals, schools, and other organizations looking to shape up, lose weight, maximize strength and performance, and lead healthier lives

Selection - We offer a broad range of top quality commercial fitness equipment from manufacturers across the nation. Our selection of cardio and strength equipment includes popular items, such as treadmills, ellipticals, and free weights, as well as equipment to support the latest exercise trends, such as CrossFit cross training and indoor cycling.

Expertise - KFS fitness specializes in custom home and commercial gym design. Our knowledgeable equipment experts can help you design a custom gym, fitness center, or health club. Not sure what equipment you need? We can make equipment recommendations & suggestions for facility layouts. Our goal is to work within your budget to deliver top quality solutions for the best possible workouts.

We are in this for the long run. When you're making such a big investment, you need and deserve first-class assistance from an expert in the product you're buying.

We care about what happens after you've made your purchase.

See, that's what's unique about us. We don't just sell you a piece of equipment. Our customer service starts before your purchase and extends all the way until after your product has been successfully delivered and installed. Our highly trained experts will do everything they can to make sure you get the absolute best products at the best price for your fitness or business goals, unique space requirements, financial needs, and time schedule.



**Swabhiman
Excellence Awards**
Best Fitness Equipment
Brand Of The Year 2022-2023



Winner Of Inspire
India Fitness Equipment Brand
Of The Year Award

WHAT WE DO

Commercial Gym Installation

From complete gym installations, full gym re-fits, or an upgrade to machines, accessories or flooring, we offer a comprehensive commercial gym installation service. We have worked with a huge range of commercial gym operators from small start-ups to large established chains. Over time **KFS FITNESS** has been one of the leading choices for new upcoming gyms.



Home Gym Installation

With the fast pace of modern-day life, many people are now looking for ways to keep fit from the comfort of their own home. Home gyms are an increasingly popular option for those who are unable to access a public gym or feel more comfortable exercising at home. We provide custom-built home gym installations tailored to individual needs, budget, and space available. We can ensure your installation is equipped with the highest quality machinery on the market.




Corporate Gym Installation

Corporate gym installations are becoming an increasingly popular option for companies looking to attract new employees while also enriching the working lives of current employees. Research has shown that exercise can improve employee morale, making them more highly motivated and more productive. Employees that are fit and healthy will also be less likely to take sick leave which in turn contributes to a company's bottom line. It also fosters a feel-good factor and facilitates a degree of social interaction between employees. We facilitate custom-built corporate gyms tailored to the needs and budget of your company. Our team of experts will work with you to from start to finish to create a gym facility that has your employee's best interests at heart.



Hotel Gym Installation

Hotel gym equipment is often a key factor for guests. Our knowledge and vast experience in the hospitality sector gives your business the capacity to provide a highly satisfactory fitness solution to your guests and any other gymusers. Just as you manage every detail of your guest's experience – from check-in to check-out – we can help you design and create an inviting, functional, and sophisticated fitness center. We can now also arrange finance for hotels, allowing you to upgrade your gym equipment without making a huge dent in your cash flow.



Experience

Your installation starts with a detailed consultation process where we will discuss your fitness requirements and how we can best serve them with our range of equipment available. Our team of expert consultants will help you decide on layouts given the space available, always taking into consideration health and safety precautions.



Gym Design

As gym designers, we combine knowledge and understanding of gym architecture and engineering to help bring concepts to life. At the design stage, we take a variety of factors into consideration such as safety, aesthetics, lighting, and ventilation. Our eye for detail will ensure you have a gym that is both stylish and fit for purpose.



Custom Software

Our bespoke gym management software suite assures that your installation will operate with the highest possible level of expectation. We designed our software from the ground up to give installation managers the ability to monitor and accept memberships from anywhere, anytime, with ease. Packaged in with this suite is our custom built 2-4 lane turnstile system that integrates seamlessly with our management software giving you a full feature-complete installation out of the box.



Consultation Process

Taking the time in the beginning to carefully listen to your needs will allow us to build a gym that goes above and beyond your expectations. From the initial consultation using our design brief questionnaire, we will listen carefully to your gym design ideas, making sure we clearly understand what you would like to achieve. We will then assemble several design options that will work within your budget and devise preliminary layouts giving you the chance to visualize the gym equipment and how the final design might look.

Equipment Selection

Creating a bespoke gym away from busy, crowded and alienating gyms are becoming increasingly popular as they are a convenient way to get fit. Our fitness acumen and gym equipment knowledge means we are also able to give well-informed advice on different pieces of fitness equipment from a number of suppliers whether it's a treadmill, elliptical cross trainer or any other type of gym machine.



»» KFS FITNESS CARDIO



M-003 TREADMILL

Heart rate monitoring: Heart rate sensor is inside the fixed handle. This ensures increased precision and makes it suitable for users of all body types. Heart Rate display range is 50-256 BPM. Heart Rate is displayed in realtime.

Max User Weight: 260 kg

Speed: 1 - 20 km/h

Incline Range: 0% -20%

Running surface: (580mm by 1500mm)

Motor: 4.0 HP (max: 8.0 HP)

LED Display Screen displays: Time, Distance, Calories, Power, Heart rate and Speed.

3 Preset Programs - Calories Count Down, Distance Count Down and Time Count Down.

5 Fixed Programs (P1, P2, P3, P4, P5)

2 User Defined Programs (01, 02)

Width: 930 mm

Length: 2245 mm

Height: 1765 mm

Net Weight: 308 kg



U-02 Premium TREADMILL

Motor ac	3hp
Max Power	7 Hp Peak
Running Board	High-strength, 25t
Max Static Load Capt.	600kg
Running Belt	2.4t Running Belt
Speed Range	1-20km/h
Incline Range	0-20%
User Weight Support	200kg
Frame	40*120*t2.5Rectangular Tubes
Inverter	Taiwan Brand Inverter Heart Rate Sensor Chip

MS-80 TREADMILL

- MS-80 running machine looks great in any gym environment.
- This kind of fitness machine features an automatic lubrication system, digital signal transmission system, nonskid running belt. The combination of fashion and technology guarantees you the stability and security when training.
- A special battery management system, it ensures the treadmill can continue to run in the event of a sudden power failure or rapid switch-on, which improved the stability and security of the treadmill.
- Polyurethane-foam handles, soft and comfortable.
- With a roller dimension of 100mm, a shock-proof running deck of 25mm thick, reliable, and stable.
- Square emergency stop button with a long service life. High-performance resistance touch screen, control panel with multiple isolation guards, prevent the electrostatic interference on the touch screen. Built-in LCD touch screen system.
- The function of free speed selection, incline selection, soft-stop, ODO record, handle pulse.
- 8 pre-set programs, infinite user program, free setting for time, distance, and calorie counting.
- Silent AC inverter motor: 3.5 HP (continuous), 7 HP (maximum). No noise when speeding up.
- 320 kg user weight support.



M-9800A TREADMILL

Motor	3.5 HP (7 HP Peak)
TFT display screen	18.5" capacitive touch screen
LED display screen	18.5"; multi-window
Console upright	Steel pipe (50*150)+Steel plate (5.0T)
Sliding rail, Pedal	Hardened high-strength PVC
Handrail	Once-forming PU foam
Touch-type key	PMMA-touch screen panel
Heart rate sensor chip	Integrally formed heart rate sensor chip never slips.
Running belt	3.2T (standard configuration)
Running board	Highest strength; 25T; static load capacity: 600KG
Inverter	Made in Japan (optional)/Korea (optional)
Water bottle holder	Personal belongings can be placed here
User Weight	240 Kg



CURVE TREADMILL

Specification : Two-Sided Bearing
with 6 Levels of Resistance Aluminum Interior + Natural Rubber Exterior
Belt: Kevlar Material Enhanced/Deeper Curve
LED Screen: Intervals, Distance, Target HR & Calories
Ergonomic Curve Design Self Powered
Max User Weight : 280kg
Heavy Commercial Construction
Dimensions: 79" x 35" x 56" Product Weight: 350lb



M-9900 TREADMILL

LED Display Screen - Multi-window display
Heart rate monitoring: Built-in heart rate sensor chip
Max User Weight: 240 kg
Speed: 1 - 20 km/h
Incline Range: 0% -20%
Running surface: (560mm X 1595mm) combined with anti-slip design, mute and shockproof. Offering you greater stability & safety when running.
Motor: 3 HP (7 HP Peak)
Automatic oiling system
LED Display Screen displays the speed, incline, heart rate, heart rate average, heart rate peak, pace, average pace, elapsed time, time remaining, time in zone, instant of time, distance, taken distance, distance remaining, calorie, hourly calorie, rest calorie, power, metabolic rate training program; quick start, custom relaxed mode, manual goals, mountaineering, climbing, fat burning, intermittent timing, cardiopulmonary function training, etc..

Width: 950mm, Length: 2365mm, Height: 1525mm, Net Weight: 215kg

PN-5000 TREADMILL

LED Display Screen, 18.5 Inches
Max User Weight: 240 kg
Speed: 1 - 20 km/h
Incline Range: 0% -20%
Running surface: (580mm by 1560mm)
Motor: 3 HP (7 HP Peak)
LED Display Screen displays: Time, Distance, Calories, Power, Heart rate and Speed.

Specs & Dimensions
Width : 890 mm, Length: 2210 mm, Height: 1665 mm





MS-95 TREADMILL

Length	2250 MM
Width	930 MM
Height	1650MM
Effective running surface	1650*530 MM
Width of running belt	560MM
Net weight of equipment	234 KG
Gross weight of equipment	292 KG
Gross weight of console	40.5 KG
Gross weight	251 KG
Motor	3 HP (7 HP Peak)
User weight	220 Kg

Operating system

1. Android 4.2 operating system, 1.4GHz quad-core processing chip from America, 1G RAM, 4G NANDFLASH
2. High performance resistive touchscreen
3. Build-in WIFI module allows to connect to wireless network for high-speed internet access, supporting cable TV and digital TV.

PN-8000 BLUE TREADMILL

Beautiful appearance, stable performance, and advanced automatic adjustment system enhance the durability of the machine and the convenience of using digital signal transmission, and more accurately prevent abrupt shutdown and sudden acceleration.

Feature of Display System

Beautiful appearance, stable performance, and advanced automatic adjustment system enhance the durability of the machine & the convenience of using digital signal transmission, & more accurately prevent abrupt shutdown and sudden acceleration.

Name	Commercial Treadmill
Size	2310*960*1700
Console	TFT/LED
Motor	3 HP (7 HP Peak)
Speed Range	1.0-20.0
Incline Range	0-15%
User Weight	240 kg



KT-9000 TREADMILL

Product Name	Electric Gym Treadmill
Length	2175mm
Width	980mm
Height	1715mm
Running surface	1480*580MM
Running belt	590MM
Thickness of Running Belt	2.4MM
Gross Weight	378KG
Net Weight	284KG
Speed Range	1-20km/h
Incline Range	0-20%
Rated Voltage	220V + 10% (50Hz or 60Hz)
Operation Temperature Range	0 - 40°C
Motor	4 HP (8 HP Peak)
User Weight	180 Kg



PN-6000 TREADMILL

Machine Dimension	2310L×960W×1700H (mm)
Effective Running Surface	1540L×580W (mm)
Weight Allowed	180KG
Speed Range	1-15km/h
Incline Range	0-15%
Power Supply	External power supply AC 220V±10% (50Hz/60Hz)
Power Cord	16A AC 250V
Overload Protector	13A
Operation Temperature Range	0-40
Certification	EN957-6
Motor power	3 HP (7 HP peak)
User Weight	180 Kg



PN-7000 TREADMILL

Motor power	- 3HP (7 HP Peak)
User weight	- 230 Kg
Machine weight	- 80 Kg
Dimensions	-1270*705*1290

The mainframe is simplified, fashionable, firm, durable, and made of flat oval tubes and rectangular tubes.

U-02 TREADMILL

Motor- Ac:	3hp
Max Power-	7 Hp Peak
Running Board-	High-strength, 25t,
Max Static Load Capacity:	600kg
Running Belt-	2.4t Running Belt
Incline Range	- 20%
User Weight Support-	180 Kg
Frame	- 40*120*t2.5 Rectangular Tubes
Inverter	- Taiwan Brand Inverter
Heart Rate Sensor Chip	



AIR ROWER

Fanned Flywheel: Our air rower uses air resistance generated by the fanned flywheel. To adjust how much air enters the flywheel housing on each stroke simply adjust the settings on the wheel from a setting of 1 to 10. This functions much like the gears on a bike, affecting how much energy will be needed to accelerate from one stroke to the next. Setting 10 allows in the most air for more wind resistance. For most people, the recommended setting is from 3-5. Product Extended Dimensions: 91" L X 24.5" W | Product weight 65 lbs | Seat Dimensions 12" L X 10" W X 2" THICK | Handlebar Length 20". Non-Slip Foot Pedals: Textured non-slip foot pedals will ensure safe rowing during the most strenuous workouts. The adjustable foot straps keep your feet locked in safely while you can focus on exercising. Transportation Wheels: Easy set-up, simple storage, major results. You can quickly break down the rower into two segments for storage or use the included caster wheels for easy transport. Interval Training Equipment: The KFS fitness air rower is a fantastic cardio and strength training home gym machine. While working for your major muscle groups you're also getting an amazing cardio workout. Fan resistance flywheels are well documented by CrossFit athletes.

**AB COSTER**

Supports a more comfortable bottom-up motion with a freestyle swivel seat. Made with durable materials and suitable for gym use and home use. 400 lbs, weight capacity. An excellent exercise with adjustable levels of intensity according to the weight you put in. Easy on your back and neck. Rollers for easy transport. Rubber grip handles.

**WATER ROWING MACHINE**

Product Details : A handcrafted rowing machine with a "water flywheel" that replicates the actual rowing feel. Flywheel sits in the enclosed water tank to provide smooth, quiet, self-regulated resistance. Series 4 performance monitor tracks workout intensity, stroke rate, duration, distance, and more. Solid ash and stained honey oak construction absorb sound and vibration. 1000 lb weight capacity. Stores upright. Assembled dimensions 84" L x 22" W x 21" H. Weight 73 lbs (dry) / 117 lbs (with water).

COMMERCIAL CROSS TRAINER LDE-13

LCD with Back light Computer
Program Display: Fat Burning/Climbing Program/
Intermission Program/Strength Program
Individual Exercise : Individual Exercise Date Available,
Goal Put In, Heart Rate Control Exercise
Program, Electronical Pic&Word Display
Self- generating power system
High -Power Magnet and Flywheel to get sufficient tension
torque and consistent resistance
16-Step Tension Control System
Hand-Pulse System for Heart Rate Display
Data Length: 2200mm / Width: 1650mm /
Height: 700mm
Machine Weight: 185kg

**COMMERCIAL CROSS TRAINER EL-8809**

NET WEIGHT	175 KGS
DIMENSIONS	1765*1660*1625MM
DISPLAY SHOWS	TIMES, SPEED, DISTANCE CALORIES, CONTACT HEART RATE
RESISTANCE LEVEL	1-16 LEVEL
LED DISPLAY FOR BETTER VIEW	
MAX USER WEIGHT	200KGS





5818 SPINBIKE

Equipment : Colour Black (standard configuration)
 Max user weight : 150KG
 Up and down adjusting the stroke of the handlebar : 160MM
 Maximum adjusting height of the handlebar : 1250MM (height from the ground)
 Up and down adjusting the stroke of the saddle : 290MM
 Front and rear adjusting stroke of the saddle : 110MM
 Maximum adjusting height of the saddle : 1150MM (height from the ground)
 Dimension : 1270mm*705mm*1290mm
 Net weight : 76KG
 Gross weight : 85KG
 Package : Carton Packaging
 Carton Size : 1350mm*480mm*1030mm



LD-921 SPINBIKE

Product Name : Spinning Bike
 Load Capacity : 180kg
 Dimension : 1475*540*1250 (mm)
 Certification : ROHS,CE,ISO 9001
 Machine Weight : 80kg
 Flywheel Weight : 24kgs
 Colour Options : As Customers Requirement
 Stuffing : PU Foam with Synthetic Leather
 Quality : Top
 Application : Commercial Use



XB-20 FELT FRICTION SPINNING-BIKE

Resistance Adjustment : Felt Friction, Assured Traditional Craftsmanship

Belt Drive : Ultr – Quiet Patented Belt Anti Slip Technology
Safety Handle : Non Slip Internal Dippingmake it Safe & Reliable

Seat Design : While the Seat Adjustment Device is Conenient for users to Adjust Easily

Patented Flywheel : 16Kg Metallic Luster Chrome-Plated Flywheel

Move Easily : Equipped with Moving Wheels, One Person can move Easily & Quickly



AIR-BIKE

12 fan blades for wind resistance.
 Nine vertical (height) seat adjustment settings, also horizontal adjustment.
 Comprehensive monitor read out, Target time, distance, calories, heart rate, 10/20 intervals, 20/10 intervals
 Assembled dimensions, L 1160mm x W 530mm x H 1330mm



M-7808R MAGNETIC-RECUMBENT-EXERCISE-BIKE

The M-7808R-LCD magnetic exercise bike uses an advanced electromagnetic resistance adjustment system, you can adjust the level of resistance.

Length : 1765MM
Width : 730MM
Height : 1470MM
Net Weight : 86KG
Gross Weight : 127KG
Front and rear adjusting stroke of the saddle : 270MM



M-7808U MAGNETIC-UPRIGHT-EXERCISE-BIKE

Frame: 60*120 oval tube construction and steel tube(d=89)ABS foot plate
ECB magnetic control resistance system, imported automatic motor, reliable performance. Dotch drive
Track : extrusion of high strength aluminum alloy touch button

Length : 1215MM
Width : 730MM
Height : 1575MM
Net Weight : 63KG
Gross Weight : 84KG
Seat Adjustment Range : 120MM

JACOBS

Motorised ladder motion.
Fitted with waist belt which determines on/off function.
Top and two side rails.
Dimensions, Deep 170cm x Width 95cm x Height 179cm.
Ideal for all fitness levels.



STAIRMILL

Low impact, non jarring cardio-respiratory workout
Increased oxygen intake and muscle strength
Improved bone density
Maximum Speed: 120 steps per minute
User-controlled variable pace to suit all levels of fitness
Electromagnetic braking system (no motor)
Highly reliable step lock system with sensor/reflector
Computer control system
Contact heart rate monitor
Tracks time, distance in floors, and speed in steps per min
Stair Height : 24 cm, Step Height : 18 cm, Power : 220 Volts
Step Area : 51 * 22 * 18 cm, Drive System : 2.0 AC Motor
Meter Reading : Level, Calories, Time, Distance, Speed
Max User Weight: 180 Kgs

TYRE FLIP

Weight : 145 Kg
Intended Use : Commercial
Material : Stainless steel
Size/Dimension : 1640 x 1240 x 600 mm (W x H x L)



LUXURY MG SERIES



Specification

Frame pipe : flat oval pipe 50*120*2.5)

Press arm pipe : round pipe (60*3.0 ; 50*3.0)

Flat oval pipe (40*80*3.0)

Connecting and supporting assembly : flat oval pipe (50*120*2.5T)

Shroud pipe : Rectangular pipe (60*120*2.5T)

The pipe lines are smooth while the appearance is high end and elegant

four aluminum alloy saddle support frame assemblies and one air spring (200N) make it easier & more convenient to adjust the saddle .

Its made of cost iron and wrapped with PU which does not only prevent rustiness but also bring elegance and high end.

Over -sized LCD screens allows you to learn about your workout timely and more intuitively

The pulley (d=105) is made of all aluminum with casting technology; CNC technology is applied to locate bearing precisely . The pulley surface is processed with black paint and electrostatic coating technology.

Alloy steel (20#) ; flat and smooth surface , without pits ; thin but heavy

MG-001

SEATED CHEST PRESS

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg



MG-002A

STRAIGHT ARM CLIP CHEST

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg



MG-003

SHOULDER PRESS

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg





MG-003A

DELTS MACHINE

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

MG-007

TRICEPS PRESS

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg



MG-004

SEATED ROW

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg



MG-008

UPPER LIMBS

Size : (L*W*H) 1280*1180*1690mm

Weight Stack : 60 to 100Kg



MG-006

BICEPS CURL

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

MG-009

LOWER BACK

Size : (L*W*H) 1280*1180*1690mm

Weight Stack : 60 to 100Kg





MG-010

ABDOMINAL MACHINE

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

MG-012

HIGH PULLY

Size : (L*W*H) 1560*1590*2110mm

Weight Stack : 60 to 100Kg



MG-011

ROTARY TORSO MACHINE

Size : (L*W*H) 11340*1260*1690mm

Weight Stack : 60 to 100Kg



MG-013A

LEG HORIZONTAL CURL

Size : (L*W*H) 1280*1180*1690mm

Weight Stack : 60 to 100Kg



MG-012A

SEATED HORIZONTAL PULLY

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

MG-013

LEG CURL

Size : (L*W*H) 1280*1180*1690mm

Weight Stack : 60 to 100Kg





MG-014

LEG EXTENSION

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

MG-016

MULTI HIP

Size : (L*W*H) 1560*1590*2110mm

Weight Stack : 80 to 100Kg



MG-015

LEG PRESS

Size : (L*W*H) 11340*1260*1690mm

Weight Stack : 60 to 100Kg



MG-017

CALF MACHINE

Size : (L*W*H) 1280*1180*1690mm

Weight Stack : 60 to 100Kg



MG-016A

STANDING LEG EXTENSION

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

MG-018

INNER THIGH ADDUCTOR

Size : (L*W*H) 1280*1180*1690mm

Weight Stack : 60 to 100Kg



M5 SERIES



Specification

- Framework : The main frame uses 50*120*2.0T/50*100*2.0T flat oval tubes, while the movable arm uses 60/50*3.0T circular tubes and 40*80*3.0T flat oval tubes, The connection braces use 50*100*2.0T flat oval tubes, The weight box uses 50*120*2.0T flat oval tubes. The exterior features an individualistic design.
- Cushion : A one-time molding foamed PU, anti-deformation, hardness: 65°(±5°) A synthetic leather surface which can withstand friction by 500g tested 8000 times. No peeling or fading will occur over time. Standard color is graphite black, carmine...(optional)
- Seat adjustment system: The system has 5 different levels of adjustments at 100mm each.
- Cam : The cam is made of high quality 8.0T hot rolled plate by laser cutting, while the guide rope groove is welded together for added durability.
- Backplate : The plate features high-quality steel, surface derusting, secondary spraying.
- Chain wheel : A 105mm high-strength engineering plastic with precision machined bearing.
- Handles : PVC handle
- Weight stack : Made of thin steel plates and are designed with a smooth surface with no pitting.
- Steel cable : The maximum effective load bearing weight is 1,000kg, which can be stretched for more than 100,000 times.

M5-001

CHEST PRESS

Size : (L*W*H) 1435*1445*1535mm

Weight Stack : 60 to 100Kg



M5-002A

PEC FLY/REAR DELT

Size : (L*W*H) 1505*1215*2000 mm

Weight Stack : 60 to 100Kg

M5-003

SHOULDER PRESS

Size : (L*W*H) 1575*1565*1535mm

Weight Stack : 60 to 100Kg





M5-004

SEATED ROW

Size : (L*W*H) 1035*1555*1535mm

Weight Stack : 60 to 100Kg

M5-012A

LAT PULL DOWN

Size : (L*W*H) 1190*1790*1535mm

Weight Stack : 60 to 100Kg



M5-006

BICEPS CURL

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg



M5-013A

HORIZONTAL LEG CURL

Size : (L*W*H) 1165*1700*1535mm

Weight Stack : 60 to 100Kg



M5-008

Assisted Chin/Dip

Size : (L*W*H) 1455*1275*2335mm

Weight Stack : 60 to 100Kg

M5-014

LEG EXTENSION

Size : (L*W*H) 1190*1790*1535mm

Weight Stack : 60 to 100Kg



M5-012

LAT PULL DOWN

Size : (L*W*H) 1465*1795*2005mm

Weight Stack : 60 to 100Kg



M5-019

INNER/OUTER THIGH ABDUCTOR

Size : (L*W*H) 1155*1650*1535mm

Weight Stack : 60 to 100Kg

M5S DUAL SERIES



M5S-DUAL-0910

BACK/ABS

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg

M5S-DUAL-03

CHEST/SHOULDER PRESS

Size : (L*W*H) 1435*1445*1535mm

Weight Stack : 60 to 100Kg



M5S-DUAL-1314

EXTENSION/LEG CURL

Size : (L*W*H) 1190*1790*1535mm

Weight Stack : 60 to 100Kg



M5S-DUAL-012

LATPULL DOWN/ROWING

Size : (L*W*H) 1465*1795*2005mm

Weight Stack : 60 to 100Kg



M5S-DUAL-1819

INNER/OUTER THIGH

Size : (L*W*H) 1155*1650*1535mm

Weight Stack : 60 to 100Kg

M5S-DUAL-0607

BICEPS/TRICEPS PRESS

Size : (L*W*H) 100*460*115mm

Weight Stack : 60 to 100Kg



T6 SERIES



Specification

Built to redefine fitness clubs, this new range of professional strength machines is designed with advanced engineering, precise biomechanics, and comfort features.

Specifications : Pulley: Top-grade pulley with $\varnothing 105\text{mm}$.

Cable: The cable covered by PU, offering excellent toughness and durability. It can bear up to 1400KGF, 5.7mm.

Powder Coating : 2 rounds (available in silver, black, dark grey) + varnish.

Tube 1 : 50 x 150mm flat oval.

Tube 2 : 50 x 100mm flat oval.

Tube 3 : T.: 3.0 mm, 60mm round.

Weight Stack Cover : Double-sided, made of steel sheet.

Weight Stack : Uses a magnetic bolt for more convenience and safety.

Stuffing : PU foam covered with synthetic leather.

Cushion : Adopts a one-time forming cushion, providing enhanced comfort and durability.

Design : The weight stack tower cover adopts two parts, giving the appearance a layered look while considering aesthetics and safety protection.

T6-001 CHEST PRESS

Size : (L*W*H) 1488*1059*1814mm

Weight Stack : UPTO 100 KG



T6-02 PEC FLY - REAR DELT

Size : (L*W*H) 1280*1430*2075mm

Weight Stack : UPTO 100 KG



T6-02A Shoulder Press

Size : (L*W*H) 1550*1550*1530mm

Weight Stack : UPTO 100 KG





T6-004

Seated Row

Size : (L*W*H) 1505*1005*1530

Weight Stack : UPTO 100 KG

T6-008

Chin Dip

Size : (L*W*H) 1930*1000*2495mm

Weight Stack : UPTO 100 KG



T6-006

Preacher Curl

Size : (L*W*H) 1500*930*1530

Weight Stack : UPTO 100 KG



T6-009

Back Extension

Size : (L*W*H) 1550*1090*1535

Weight Stack : UPTO 100 KG



T6-007

Tricep Press

Size : (L*W*H) 1562*1205*1535

Weight Stack : UPTO 100 KG

T6-010

Abdominal

Size : (L*W*H) 1550*1090*1535

Weight Stack : UPTO 100 KG





T6-011

Rotary Torso

Size : (L*W*H) 1140*1018*1535

Weight Stack : UPTO 100 KG

T6-013A

Horizontal Leg Curl

Size : (L*W*H) 1445*1020*1535mm

Weight Stack : UPTO 100KG



T6-012A

Low Pull

Size : (L*W*H) 1800*1330*1870mm

Weight Stack : UPTO 100KG



T6-014

Leg Extension

Size : (L*W*H) 1425*1165*1530mm

Weight Stack : UPTO 100KG



T6-012

Lat Pull Down

Size : (L*W*H) 1190*1200*2230mm

Weight Stack : UPTO 100KG

T6-015

Seated Leg Press

Size : (L*W*H) 1870*1086*1530mm

Weight Stack : UPTO 100KG





T6-016A

PRONE LEG CURL

Size : (L*W*H) 1610*1095*1530mm

Weight Stack : UPTO 100KG

T6-019

Outer Thigh

Size : (L*W*H) 1625*815*1528mm

Weight Stack : UPTO 100KG



T6-017

Seated Calf Extention

Size : (L*W*H) 2090*1060*1535mm

Weight Stack : UPTO 100KG



T6-018

Inner Thigh

Size : (L*W*H) 1625*815*1528mm

Weight Stack : UPTO 100KG



T9 SERIES



Specification

FRAME	1. Main frame: Bread shaped tube (60*120*2.5T) 2. Press arm: Round tube (60/50*3.0T) Flat oval tube (40*80*3.0T) 3. Connecting assembly: Flat oval tube (50*120*2.5T) 4. Tower: Bread shaped tube (75*130*2.5T)
Cushion	The cushion is made of PU with once forming technology. The hardness is designed according to the principles of ergonomics and controlled to be around HBS-65±5, it assures that it's suitable for almost all users. The leather which wraps it does not peel off or fade after getting rubbed 8000 times with a 500g weight. Its color can be brownish red, black, red, etc. The upholstery is made with double stitch (yellow threads).
Saddle adjustment system	Gas spring is applied in 9-level adjustment system to make it easier and more convenient to adjust the saddle.
Pulley	The pulley (d=105mm) is made of all aluminum with casting technology; CNC technology is applied to locate bearings precisely. The pulley surface is processed with black paint and electrostatic coating technology.
Weight stack	Alloy steel (20#); flat and smooth surface, without pits; thin but heavy.
Handlebar	Material: PVC
Guide rod	Material: stainless steel hollow tube. Process: grinding and polish The lustre lasts for long time. It does not get rusty after 48h of salt atmosphere test!
Selector pin	Hilt. Material: ABS; Process: one-step injection molding Pin. Material: stainless steel
Steel cable	6*19+1 standard: Twist 6 cables which are constituted of 19 steel ropes around a main steel rope. External diameter (leather included): 5.8mm Internal diameter (only steel): 3.5mm, Max load: 1000kg

T9-001

CHEST PRESS

Size : (L*W*H) 1545*1150*1650mm

Weight Stack : 80 to 100Kg



T9-02

BUTTERFLY

Size : (L*W*H) 1505*1245*1650mm

Weight Stack : 80 to 100Kg


T9-02A

PEC FLY-REAR DELT

Size : (L*W*H) 1620*1450*1995mm

Weight Stack : 80 to 100Kg





T9-003

SHOULDER PRESS

Size : (L*W*H) 1560*1580*1650

Weight Stack : 80 to 100Kg



T9-007

TRICEPS PRESS

Size : (L*W*H) 1230*1695*1650mm

Weight Stack : 80 to 100Kg

T9-04

SEATED ROW

Size : (L*W*H) 11040*1510*1650mm

Weight Stack : 80 to 100Kg



T9-008

ASSISTED DIP CHIN

Size : (L*W*H) 1475*1260*2335mm

Weight Stack : 80 to 100Kg



T9-006

Bicep Curl

Size : (L*W*H) 1170*1365*1650mm

Weight Stack : 80 to 100Kg


T9-009

Lower Back

Size : (L*W*H) 1225*1285*1650mm

Weight Stack : 80 to 100Kg





T9-010

Abdominal Crunch

Size : (L*W*H) 1190*1285*1650mm

Weight Stack : 80 to 100Kg

T9-012A

Seated Horizontal Pulley

Size : (L*W*H) 980*1815*2005mm

Weight Stack : 80 to 100Kg



T9-011

Rotary Torso

Size : (L*W*H) 1240*1250*1650mm

Weight Stack : 80 to 100Kg



T9-013A

Horizontal Leg Curl

Size : (L*W*H) 1135*1700*1650mm

Weight Stack : 80 to 100Kg



T9-012

Lat Pull Down

Size : (L*W*H) 1485*1850*2005mm

Weight Stack : 80 to 100Kg



T9-014

Leg Extension

Size : (L*W*H) 1150*1790*1650mm

Weight Stack : 80 to 100Kg

T9-017

Calf Extension

Size : (L*W*H) 1090*1600*1650mm

Weight Stack : 80 to 100Kg



T9-015

SEATED LEG PRESS

Size : (L*W*H) 1115*1795*1650mm

Weight Stack : 80 to 100Kg



T9-018

Inner Thigh Adductor

Size : (L*W*H) 11740*1235*1650mm

Weight Stack : 80 to 100Kg



T9-016A

Standing Leg Extension

Size : (L*W*H) 955*1255*1650mm

Weight Stack : 80 to 100Kg

T9-019

Outer Thigh Abductor

Size : (L*W*H) 1730*1235*1650mm

Weight Stack : 80 to 100Kg



T8+ SERIES



Specification

- FRAME 1 Main frame : Flate tube(50*120*2.5T)
 2 Press arm : Round tube (60/50*3.0T) Flat oval tube (40*80*3.0T)
 3 Connecting assembly : Flat oval tube (50*120*2.5T)
 4 Tower: Bread shaped tube (50*120*2.5T)

Decoration strip : Shiny Black

Pulley : Engineering plastic made in one form of injection.

Handlebar : Material: PVC

Bearing : The best bearing made in china.

Weight stack : Steel with a flat and smooth surface, without pits; thin but heavy.

Guide rod : Material: stainless steel hollow tube.

T-801

CHEST PRESS

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-802

PEC-FLY

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg



T-802A

Pec-Fly Rear-Delt

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg





T-803

SHOULDER PRESS

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg

T-807

TRICEP PRESS

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-804

SEATED ROW

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-808

ASSISTED CHIN-DIP

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg



T-806

BICEP CURL

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg

T-810

ABDOMINAL CRUNCH

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg





T-811

ROTARY TORSO

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg

T-813

LEG EXTENSION CURL

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-812

LAT PULLDOWN

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-813A

HORIZONTAL LEG CURL

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg



T-812A

SEATED HORIZONTAL ROW

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg

T-814

LEG EXTENSION

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg





T-815

LEG PRESS

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg

T-817

CALF EXTENSION

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-816

MULTI HIP

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg



T-818

ADDUCTOR

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg



T-816A

STANDING LEG EXTENSION

Size : (L*W*H) 1065*110*55mm

Weight Stack : 60 to 100Kg

T-819

ABDUCTOR

Size : (L*W*H) 165*110*65mm

Weight Stack : 60 to 100Kg



M8F SERIES



Specification

- Streamlined design with 60*120*2.5mm high-strength stainless steel flat oval tube
- To keep the system stable, the frame of the fitness equipment is directly welded on the steel base.

Steel cable and pulley-

- We use 7*19 military steel cable covered by Nylon, with a lubrication device equipped
- We have employed the glass fiber pulleys, whose diameters are available in both 12cm and 15cm

Handles -

- Handles made from rubber compounds are employed to guard against the damages caused by sweat and abrasion.
- Aluminum caps are available on the end of the handles to prevent the rubber from slipping off

Seat and backrest-

- EVA foam injection molding technique is employed to avoid the cushion of the gym workout equipment from getting deformed
- The durability of the cushion is largely extended since all of the edges have been folded and sewed

Prudent and fashionable design-

- KFS Fitness has absorbed the design concept from Germany for the development of this commercial exercise equipment, making it both prudent and fashionable. The unique buffer structure with torsion spring and the multi-gear leg press foam has made it suitable for different groups of people.

M8F-001

CHEST PRESS

Size : (L*W*H) 1545*1150*1650mm

Weight Stack : 80 to 100Kg



M8F-02

BUTTERFLY

Size : (L*W*H) 1140*1100*1750mm

Weight Stack : 80 to 100Kg

M8F-02A

PEC FLY-REAR DELT

Size : (L*W*H) 1485*1850*2005mm

Weight Stack : 80 to 100Kg





M8F-003

SHOULDER PRESS

Size : (L*W*H) 1560*1580*1650mm
Weight Stack : 80 to 100Kg

M8F-007

TRICEPS PRESS

Size : (L*W*H) 1580*1150*1650mm
Weight Stack : 80 to 100Kg



M8F-04

SEATED ROW

Size : (L*W*H) 1485*1850*2005mm
Weight Stack : 80 to 100Kg



M8F-008

ASSISTED DIP CHIN

Size : (L*W*H) 1475*1260*2335mm
Weight Stack : 80 to 100Kg



M8F-006

TRICEPS PRESS

Size : (L*W*H) 1170*1365*1650mm
Weight Stack : 80 to 100Kg

M8F-009

ABDOMINAL MACHINE

Size : (L*W*H) 1140*1100*1750mm
Weight Stack : 80 to 100Kg





M8F-010

BACK EXTENSION MACHINE

Size : (L*W*H) 1170*1365*1650mm

Weight Stack : 80 to 100Kg

M8F-013

SEATED LEG CURL

Size : (L*W*H) 150*1790*1650mm

Weight Stack : 80 to 100Kg



M8F-012

SEATED ROW

Size : (L*W*H) 1485*1850*2002mm

Weight Stack : 80 to 100Kg



M8F-013A

HORIZONTAL LEG CURL

Size : (L*W*H) 1135*1700*1650mm

Weight Stack : 80 to 100Kg



M8F-012A

SEATED HORIZONTAL PULL

Size : (L*W*H) 980*1815*2005mm

Weight Stack : 80 to 100Kg

M8F-014

LEG EXTENSION

Size : (L*W*H) 1150*1790*1650mm

Weight Stack : 80 to 100Kg





M8F-015

SEATED LEG PRESS

Size : (L*W*H) 1150*1795*1650mm

Weight Stack : 80 to 100Kg

M8F-017

ROTARY TORSO

Size : (L*W*H) 1820*1190*2100mm

Weight Stack : 80 to 100Kg



M8F-016

MULTI HIP

Size : (L*W*H) 980*1250*1650mm

Weight Stack : 80 to 100Kg



M8F-018

ABBDUCTOR MACHINE

Size : (L*W*H) 1064*1488*1750mm

Weight Stack : 80 to 100Kg



M8F-016A

REAR KICK MACHINE

Size : (L*W*H) 1150*1795*1650mm

Weight Stack : 80 to 100Kg

M8F

ROTARY TORSO

Size : (L*W*H) 1820*1190*2100mm

Weight Stack : 80 to 100Kg



V-SERIES



The frame is made of white square tube with black pressing arms, which is beautiful and reliable in terms of design structure.

Preferred movement bearing kit to ensure smooth and durable trajectory;

PU one-form cushion is pretty comfortable and durable, after tens of thousands of times of high strength leather test;

Auxiliary barbell plate hanger: some model is equipped with auxiliary barbell plate hanger, with stainless steel tube and quality assurance, for placing more quantities of barbell plate , which is easy to use.

V-01 ISO-LATERAL

CHEST PRESS

Size :: (L)1610×(W)1480×(H)2000mm

N.W. : 140Kg



V-02 ISO-LATERAL

SUPER INCLINE PRESS

Size :: (L)1550×(W)1250×(H)1700mm

N.W. : 126Kg

V-03 ISO-LATERAL

STANDING LEG CURL

Size :: (L)1920×(W)1120×(H)1460mm

N.W. : 1208g





V-04

LATREAL LEG PRESS

Size : (L)1035×(W)1555×(H)1535mm

N.W. : 215Kg

V-07 ISO-LATERAL

LOW ROW

Size :: (L)1430×(W)1280×(H)1700mm

N.W. : 125Kg



V-05

ARM CURL

Size :: (L)1250×(W)1500×

(H)1370mm

N.W. : 100Kg



V-08 ISO-LATERAL

DECLINE CHEST PRESS

Size :: (L)1780×(W)1320×

(H)1760mm

N.W. : 130Kg



V-06

LATREAL RAISE

Size :: (L)1135×(W)1345×

(H)1535mm

N.W. : 180Kg

V-09

BARBELL RACK

Size : (L)1180×(W)820×(H)1470mm

N.W. : 64Kg





V-010
45 DEGREE LEG PRESS
 Size : (L)2300x(W)1380x
 (H)1550mm
 N.W. : 195Kg

V-013
ABDUCTOR
 Size : (L)1780x(W)1250x(H)1170mm
 N.W. : 125Kg



V-011
WEIGHT PLATE RACK
 Size : (L)700x(W)730x(H)1050mm
 N.W. : 32Kg




V-014
ISO-LATERAL ROW
 Size : (L)1530x(W)1560x
 (H)1350mm
 N.W. : 118Kg



V-012
SUPER SQUAT
 Size : (L)2450x(W)1500x
 (H)1850mm
 N.W. : 206Kg

V-015 ABDOMINAL
OBLIQUE CRUNCH
 Size : (L)1700x(W)1200x(H)1580mm
 N.W. : 126Kg





**V-016 ISO-LATERAL
FRONT LAT PULLDOWN**

Size : (L)1780x(W)1600x
(H)2020mm
N.W. : 142Kg

V-019

SEATED CALF

Size : (L)1224x(W)933x(H)955mm
N.W. : 53Kg



V-017

SHOULDER PRESS

Size : (L)1854x(W)1358x(H)1886mm
N.W. : 136Kg



V-020

PULLOVER

Size : (L)1930x(W)1700x
(H)1500mm
N.W.: 154.4Kg



V-018

ISO FLAT PRESS


Size : (L)1481x(W)1244x
(H)1461mm
N.W. : 92.8Kg

V-021

UTILITY BENCH

Size : (L)1266x(W)628x(H)956mm
N.W. : 23Kg





V-022

INCLINE PECFLY

Size : (L)1615x(W)1464x

(H)1318mm

N.W. : 64Kg

V-025 ISO-LATERAL

LEG EXTENSION

Size : (L)1518x(W)1462x(H)1488mm

N.W. : 119.5Kg



V-023

SEATED LEG EXTENSION

Size : (L)1845x(W)1300x(H)1057mm

N.W. : 99.8Kg



V-026

SEATED TRICEP PRESS

Size : (L)1700x(W)1650x

(H)1047mm

N.W. : 118.4Kg



V-024

VERTICAL LEG PRESS

Size : (L)1575x(W)1850x

(H)2010mm

N.W. : 205.8Kg



V-027

LAT PULLDOWN

Size : (L)1800x(W)1300x(H)2000mm

N.W. : 140.2Kg

V-029 ISO-LATERAL

BACK EXTENSION

Size : (L)2100x(W)2050x(H)1170mm

N.W. : 163.5Kg



V-028 CHEST-PRESS

& LAT PULLDOWN

Size : (L)2050x(W)1780x

(H)2010mm

N.W. : 172.4Kg

V-030

SQUAT MACHINE

Size : (L)2150x(W)1520x

(H)1520mm

N.W. : 216Kg



PLATE LOADED



Incline-Chest-Press

Dimensions: 60" L x 76" W x 70" H
Product Weight: 384 lbs
Load Capacity: 300 lbs
Frame Color: Graphite and Black
Upholstery: Black

LEG-PRESS

Dimensions (LWH): 99" x 69" x 61"
Product Weight: 507lbs (230kk)
Load Capacity: 450lbs



Low-Row-Machine

Dimensions 1180x1388x1247mm
Machine Weight 137kg

PULL-DOWN

Length: 1850mm / 74in
Width: 1300mm / 52in
Height: 2160mm / 86.4in
Product Weight: 152kg / 335lb
Maximum Load: 240kg / 528lb



SHOULDER-PRESS

Size:1290x1280x1460mm
Excellent surface painting finish
Good welding
Top quality steel tube Q235
Steel tube 60x120x3mm

BICEPS-CURL

Biceps Curl Machine Plate Loaded is the perfect way to isolate the biceps for the safest workout with feeling of free weights. The Biceps Curl Machine Plate Loaded a heavy-duty piece of kit for a heavy-duty gym. Powder coat finish. Suitable for 50 mm discs. Heavy-duty steel Frame.

Hack-Squat-Machine

Plate loaded fitness equipment/gym equipment
Professional design from Pure Strength
High quality steel tube Q235 with 60 x 120 x 3mm
Pretty TIG welding
Excellent electrostatic powder coating with good adhesive force6)
Make body cooperate with machine very well.



FREE WEIGHTS



H-005
CABLE CROSS-OVER
Size:(L)3885x(W)870x
(H)2325mm
N.W.:336kgs

H-020
SMITH MACHINE
Size:(L)2460x(W)1750x(H)2390mm
N.W.:239kgs



H-005A
FUNCTIONAL TRAINER
Size:(L)1690x(W)1150x(H)2350mm
N.W.:380kgs



H-021
SQUAT RACK
Size:(L)1775x(W)1285x
(H)2160mm
N.W.:155kgs



H-005B ADJUSTABLE
FUNCTIONAL TRAINER
Size:(L)880x(W)800x(H)2340mm
N.W.:148kgs

H-022
LEG PRESS 45 DEGREE
Size:(L)2375x(W)1615x(H)1470mm
N.W.:272kgs





H-022A HACK

SQUAT MACHINE

Size:(L)2540x(W)1005x(H)1635mm
N.W.:199kgs

H-024

DECLINE BENCH

Size:(L)2100x(W)1650x(H)1190mm
N.W.:84kgs



H-023

WEIGHT BENCH

Size:(L)1680x(W)1630x(H)1190mm
N.W.:80kgs



H-025

INCLINE BENCH

Size:(L)1885x(W)1640x(H)1395mm
N.W.:101kgs



H-023A

WEIGHT BENCH

Size:(L)1400x(W)1220x(H)1175mm
N.W.:62kgs

H-025A

INCLINE BENCH

Size:(L)1895x(W)1235x(H)1510mm
N.W.:89kgs





H-025B

VERTICAL BENCH

Size:(L)1645x(W)1440x
(H)1885mm
N.W.:102kgs

H-027

VERTICAL KNEE RAISE

Size:(L)1480x(W)1155x(H)2300mm
N.W.:74kgs



H-026

ROMAN CHAIR

Size:(L)1350x(W)720x(H)960mm
N.W.:47kgs



H-028

WEB BOARD

Size:(L)1860x(W)725x
(H)1090mm
N.W.:51kgs



H-026A

ROMAN CHAIR

Size:(L)1360x(W)690x(H)885mm
N.W.:42kgs

H-029

SEATED CALF MACHINE

Size:(L)1380x(W)600x(H)920mm
N.W.:53kgs





H-030

DUMBBELL RACK
Size:(L)2345x(W)835x
(H)860mm
N.W.:76kgs

H-033

DRAW MUSCLE MACHINE
Size:(L)1540x(W)490x(H)950mm
N.W.:30kgs



H-031

T-ARM MACHINE
Size:(L)1950x(W)855x(H)645mm
N.W.:70kgs



H-034 ADJUSTABLE

WEB BOARD
Size:(L)1900x(W)720x
(H)860mm
N.W.:56kgs



H-032

ABDOMINAL MACHINE
Size:(L)2040x(W)980x(H)1045mm
N.W.:53kgs

H-034A ADJUSTABLE

WEB BOARD
Size:(L)1520x(W)665x(H)1080mm
N.W.:45kgs





H-035

CRUNCH BENCH

Size:(L)2010x(W)725x
(H)1035mm
N.W.:55kgs

H-037 MULTI

ADJUSTABLE BENCH

Size:(L)1425x(W)620x(H)1100mm
N.W.:43kgs



H-036

FLAT BENCH

Size:(L)1675x(W)700x(H)450mm
N.W.:27kgs



H-037A

ADJUSTABLE BENCH

Size:(L)1260x(W)550x
(H)875mm
N.W.:36kgs



H-036A

FLAT BENCH

Size:(L)1280x(W)575x(H)580mm
N.W.:23kgs

H-038

UTILITY BENCH

Size:(L)1170x(W)540x(H)875mm
N.W.:29kgs





H-039

BARBELL RACK

Size:(L)1135x(W)810x

(H)1440mm

N.W.:40kgs

H-040A

SCOTT BENCH

Size:(L)1070x(W)815x(H)930mm

N.W.:45kgs



H-039A

BARBELL RACK

Size:(L)845x(W)650x(H)1305mm

N.W.:41kgs



H-041 WEIGHT

PLATE TREE

Size:(L)970x(W)845x

(H)1055mm

N.W.:35kgs

H-042

ABDOMINAL BENCH

Size:(L)1700x(W)930x(H)990mm

N.W.:60kgs



H-040

SCOTT BENCH

Size:(L)1005x(W)690x(H)965mm

N.W.:43kgs



MV-022A LEG-PRESS

WITH HACK-SQUAT

Excellent functionality with multiple tested moving parts (wheels, running track, springs, hinged surfaces). safety lock positions.

450 kg capacity. Use of discs $\Phi 50$

Machine dimensions M/P/Y: 251/150/168 cm.

Machine weight: 194 kg.

CROSSFIT

6-GATE-CROSSFIT

3 MM OVAL TUBE

LENGTH: 14.5 ft, WIDTH : 8.26 ft, HEIGHT : 8.45 ft

Accessories : Battle Rope: 1 pc

Trampoline: 1 pc

Boxing bag: 1 pc

Olympic bar: 1 pc

Kettle Bell: 4 kg / 6 kg / 8 kg / 10 kg / 12 kg (1pc each)

Medicine Ball: 2 kg / 3 kg / 4 kg (Total - 1pc each)



360M-CROSSFIT

Stations & Features

Rock Grip Chin-Up Handles - 2 stations

Rebounder

Punching Bag Stand

Step-Up Platform

Dip Handle

Monkey Bars

Variable Cable Column-2 sets (Weight Stacks 100kg x 2 sets)

U-Link Adjustment Column - 4 sets

Accessory Storage Shelves - 9 units

Dimensions & Weight:

Footprint: 4808mm (W) x 4385mm (L)

Height: 2540mm

Weight: 1520kg (estimation)

Recommended Live Area: 8200mm x 8200mm



360S-CROSSFIT

Stations & Features

Rock Grip Chin-Up Handles - 1 station

Rebounder

Punching Bag Stand

Step-Up Platform

Power Pivot (Landmine)

Variable Cable Column - 1 set (Weight Stack 100kg)

U-Link Adjustment Column - 1 set

Accessory Storage Shelves - 8 units

Dimensions & Weight:

Footprint: 4800mm (W) x 3450mm (L)

Height: 2440mm

Weight: 820kg (estimation)

Recommended Live Area: 5500mm x 6500mm



360X-CROSSFIT

Stations & Features

Rock Grip Chin-Up Handles - 2 stations

Rebounder

Punching Bag Stand

Step-Up Platform

Dip Handle

Power Pivot (Landmine)

Variable Cable Column - 1 set (Weight Stack 80kg)

U-Link Adjustment Column - 2 sets

Accessory Storage Shelves - 4 units

General Storage Shelf - 1 unit

Dimensions & Weight:

Footprint: 3553mm (W) x 3143mm (L)

Height: 2440mm

Weight: 552kg (estimation)

Recommended Live Area: 6000mm x 6000mm



GYM ACCESSORIES



Adjustable Hand Grip



Aerobic Stepper



Agility Hurdles



Hanging Punching Bag



Hexa Dumbbell



Leather Power Belt
(S, M, L, XL)



Agility Ladder



Battling Rope
(9m - 30ft) (15m - 50ft)



Bosu Ball



Medicine Ball Reactor



Multi Color Plates



Olympic Gym Rods



Bouncer Dumbbell



Distance marking Set



Fix Babrbell



Peanut Ball



Power Wheel



Pu Coated Plates



Folding Gym Mat



Gym Ball



Hammer



Push Up Stand



Resistance Band



Rubber Medicine Ball



Single Twister



Skipping Rope & Digital Counter



Slam Ball



Triangle Dumbbell



Vinyl Kettle Bell



Wrist Curl Machine

OUR INSTALLATIONS



OUR INSTALLATIONS



KFS EVENTS



IHFF 2018 MUMBAI PREMIUM SPONSOR
IHFF 2019 DELHI PREMIUM SPONSOR



SHERU CLASSIC 2018 MUMBAI PREMIUM SPONSOR
SHERU CLASSIC 2019 DELHI PREMIUM SPONSOR



FEA AWARDS 2018 - 2019 TAJ DELHI



KFS ASIA EDUFIT 2019 DELHI MAIN SPONSOR



FITEX EXPO DELHI 2018 - 2019 PREMIUM SPONSOR



KFS EVENTS

INSPIRE INDIA SUMMIT 2021



ASIA EDUFIT 2022



IHFF SHERU CLASSIC DELHI 2022 PREMIUM SPONSOR



IHFF SHERU CLASSIC MUMBAI 2022 PREMIUM SPONSOR



IHFF SHERU CLASSIC DELHI 2023 PREMIUM SPONSOR



KFS EVENTS

SN
Steadfast NUTRITION
PREMIUM SPORTS NUTRITION
Presents



IHFF SHERU CLASSIC NEW DELHI 2024



NOTES :